L	Hits	Search Text	DB	Time stamp
Number 1	1025	(717/162-163,151-159).CCLS.	USPAT;	2003/09/02
*	1025	(7177102 103,131-139).CCLS.	US-PGPUB;	08:47
	<u> </u>		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	1326		USPAT;	2003/09/02
		(712/238)).CCLS.	US-PGPUB;	08:47
ļ			EPO; JPO; DERWENT;	
			IBM TDB	
3	0	(((717/162-163,151-159).CCLS.) or	USPAT;	2003/09/02
		(((709/331) or (711/170) or	US-PGPUB;	08:49
		(712/238)).CCLS.)) and (branch adj	EPO; JPO;	
		<pre>instruction\$1).ab. and ((far and "near") adj2 call\$3)</pre>	DERWENT;	
1_	1	(@ad<=19991008 and @rlad<=19991008) and	IBM_TDB USPAT;	2003/08/29
1	1	(branch adj call\$1).ab.	US-PGPUB;	16:45
		(EPO; JPO;	1 200.00
			DERWENT;	
			IBM_TDB	
-	225		USPAT;	2003/08/30
1		(branch adj4 (call\$1 or instruction\$1)).ab.	US-PGPUB; EPO; JPO;	13:17
1		instruction, i, i ab.	DERWENT;	
1	1	,	IBM TDB	
_	9	(, o	USPAT;	2003/08/30
		(branch adj4 (call\$1 or	US-PGPUB;	13:17
		instruction\$1)).ab.) and (trampoline\$1 or	EPO; JPO;	
		((far or "near") adj2 call\$1))	DERWENT; IBM TDB	
_	225	(@ad<=19991008 and @rlad<=19991008) and	USPAT;	2003/08/30
		(branch adj4 (call\$1 or	US-PGPUB;	16:58
		instruction\$1)).ab.	EPO; JPO;	
			DERWENT;	
	9	//0.d<-10001000 and 0.3.d<-10001000\d	IBM_TDB	0000/00/00
-	9	((@ad<=19991008 and @rlad<=19991008) and (branch adj4 (call\$1 or	USPAT; US-PGPUB;	2003/08/30 14:42
		instruction\$1)).ab.) and (trampoline\$1 or	EPO; JPO;	14.42
		((far or "near") adj2 call\$1))	DERWENT;	
1		-	IBM_TDB	
-	2	("5740447").PN.	USPAT;	2003/08/30
			US-PGPUB;	13:45
			EPO; JPO; DERWENT;	
			IBM TDB	
-	1	5740447.URPN.	USPAT	2003/08/30
1				13:23
-	2	("4567574" "4763255").PN.	USPAT	2003/08/30
_	7	((@ad<=19991008 and @rlad<=19991008) and	וופטאיי.	13:39
	'	(branch adj4 (call\$1 or	USPAT; US-PGPUB;	2003/08/30
		instruction(1)).ab.) and(("far" or	EPO; JPO;	11.00
		"near") near3 (branch\$3 adj2(call\$1 or	DERWENT;	
		<pre>instruction\$1 or invoca\$4 or predict\$5)))</pre>	IBM_TDB	
-	10	(("far" or "near") near3 (branch\$3	USPAT;	2003/08/30
		<pre>adj2(call\$1 or instruction\$1 or invoca\$4))) and (code near4 (insert\$4 or</pre>	US-PGPUB; EPO; JPO;	14:42
		instrument\$5 or trampoline\$1))	DERWENT;	
			IBM TDB	
-	174	(((short or "near") adj2 branch\$3)	USPĀT;	2003/08/30
		near5 ((long or far) adj2 branch\$3))	US-PGPUB;	15:55
		and link\$4	EPO; JPO;	
	j		DERWENT; IBM TDB	
_	2	((((short or "near") adj2 branch\$3)	USPAT;	2003/08/30
	_	near5 ((long or far) adj2 branch\$3))	US-PGPUB;	15:47
		and link\$4) and compil\$4	EPO; JPO;	
			DERWENT;	
L			IBM_TDB	1

7	

-	1	<pre>(epilog\$2 adj code) and ((long or short) near3 calls)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/08/30 15:49
-	3	5835958.URPN.	IBM_TDB USPAT	2003/08/30 15:50
-	12	("4084228" "4445170" "4454580" "4524416" "4530049" "4951194" "4969091" "5043870" "5107457" "5452456" "5487158" "5490256").PN.	USPAT	2003/08/30 15:51
_	0	(("4084228" "4445170" "4454580" "4524416" "4530049" "4951194" "4969091" "5043870" "5107457" "5452456" "5487158" "5490256").PN.) and ((trampoline or prolog) adj3 (code or instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 15:56
-	1	(("4084228" "4445170" "4454580" "4524416" "4530049" "4951194" "4969091" "5043870" "5107457" "5452456" "5487158" "5490256").PN.) and ((trampoline or prolog\$2) adj3 (code or instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 15:56
-	42	linker and ((trampoline or prolog\$2) adj3 (code or instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/30 16:52
-	1	<pre>(linker and ((trampoline or prolog\$2) adj3 (code or instructions))) and ((@ad<=19991008 and @rlad<=19991008) and (branch adj4 (call\$1 or instruction\$1)).ab.)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/30 15:57
-	24	("3427443" "3551659" "4819233" "5193180" "5547678" "5535329" "5579520" "5675805" "5752038" "5790858" "5978583" "5987247" "6011918" "6026484" "6044224" "6088717" "6112304" "6134559" "6154878" "6385766" "6393476" "6397254" "6421705" "6445782").PN.	USPAT	2003/08/30 16:06
_	1	(("3427443" "3551659" "4819233" "5193180" "5247678" "5535329" "5579520" "5675805" "5752038" "5790858" "5978583" "5987247" "6011918" "6026484" "6044224" "6088717" "6112304" "6134559" "6154878" "6385766" "6393476" "6397254" "6421705" "6445782").PN.) and ((prolog\$2 or trampoline\$1) and linker)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/30 16:07
_	10	<pre>((distant or local or proximal or long or short) adj3 (branch or call\$1)) and ((prolog\$2 or trampoline\$1 or epilog\$2) near3 code)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/30 17:09
-	24	("3427443" "3551659" "4819233" "5193180" "5247678" "5535329" "5579520" "5675805" "5752038" "5790858" "5978583" "5987247" "6011918" "6026484" "6044224" "6088717" "6112304" "6134559" "6154878" "6385766" "6393476" "6397254" "6421705" "6445782").PN.	USPĀT	2003/08/30 16:50

V	
•	-

		· · · · · · · · · · · · · · · · · · ·		r =
-	1	(("3427443" "3551659" "4819233"	USPAT;	2003/08/30
		"5193180" "5247678" "5535329"	US-PGPUB;	16:53
		"5579520" "5675805" "5752038"	EPO; JPO;	
		"5790858" "5978583" "5987247"	DERWENT;	
		"6011918" "6026484" "6044224"	IBM_TDB	
		"6088717" "6112304" "6134559"	_	
		"6154878" "6385766" "6393476"		
	ļ.	"6397254" "6421705" "6445782").PN.)		
		and ((trampoline or prolog\$2) adj3 (code		
	İ	or instructions))		
-	8	((reduc\$4 or transform\$4 or convert\$4 or	USPAT;	2003/08/30
		translat\$4 or substitut\$4) adj4 ((US-PGPUB;	17:36
		external or distant or far or long) adj2	EPO; JPO;	
	1	(call\$1 or branch\$2))) near8 ((local	DERWENT;	
		or short or "near" or internal) adj3 (IBM TDB	
		call\$1 or branch\$2))	-	
_	196		USPAT;	2003/08/30
	Ì	adj2 (call\$1 or branch\$2)) near8 ((US-PGPUB;	16:57
		local or short or "near" or internal)	EPO; JPO;	
		adj3 (call\$1 or branch\$2))) and	DERWENT;	
		(optimi\$4 or compiler)	IBM TDB	
l _	59		USPAT;	2003/08/30
		((((external or distant or far or long)	US-PGPUB;	17:10
		adj2 (call\$1 or branch\$2)) near8 ((EPO; JPO;	1 - 7 - ± 0
		local or short or "near" or internal)	DERWENT;	
		adj3 (call\$1 or branch\$2))) and		
			IBM_TDB	
1_	137	<pre>(optimi\$4 or compiler)) ((((external or distant or far or long)</pre>	USPAT;	2003/08/30
-	13/	adj2 (call\$1 or branch\$2)) near8 ((•	16:59
			US-PGPUB;	16:39
		local or short or "near" or internal)	EPO; JPO;	
		adj3 (call\$1 or branch\$2))) and	DERWENT;	
		(optimi\$4 or compiler)) not	IBM_TDB	
		((@ad<=19991008 and @rlad<=19991008) and		
		((((external or distant or far or long)		•
		adj2 (call\$1 or branch\$2)) near8 ((
		local or short or "near" or internal)		
		adj3 (call\$1 or branch\$2))) and		
İ		(optimi\$4 or compiler)))		0000/00/00
-	9	1 ,,,,,	USPAT;	2003/08/30
	1	adj2 (call\$1 or branch\$2)) near8 ((US-PGPUB;	17:05
		local or short or "near" or internal)	EPO; JPO;	
		adj3 (call\$1 or branch\$2))) and	DERWENT;	
		(optimi\$4 or compiler)) not	IBM_TDB	
		((@ad<=19991008 and @rlad<=19991008) and		
		((((external or distant or far or long)		
		adj2 (call\$1 or branch\$2)) near8 ((
		local or short or "near" or internal)		
		adj3 (call\$1 or branch\$2))) and		
		(optimi\$4 or compiler)))) and 717/\$		
-	1	(locali\$5 or internali\$5) near4 ((USPAT;	2003/08/30
		external or long or distant) adj2 (call\$1	US-PGPUB;	17:06
		or invocation\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	165	(trampoline or prolog\$2) adj2 (code or	USPĀT;	2003/08/30
		instruction\$1)	US-PGPUB;	17:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	61	((trampoline or prolog\$2) adj2 (code or	USPĀT;	2003/08/30
		instruction\$1)) not ((@ad<=19991008 and	US-PGPUB;	17:19
		@rlad<=19991008) and ((trampoline or	EPO; JPO;	
		<pre>prolog\$2) adj2 (code or instruction\$1)))</pre>	DERWENT;	
		and 717/\$	IBM TDB	
-	7	(((trampoline or prolog\$2) adj2 (code or	USPAT;	2003/08/30
	[instruction\$1)) not ((@ad<=19991008 and	US-PGPUB;	17:30
	[@rlad<=19991008) and ((trampoline or	EPO; JPO;	
		<pre>prolog\$2) adj2 (code or instruction\$1)))</pre>	DERWENT;	
		and 717/\$) and ((far or distant or long	IBM TDB	
		or external) adj2 (call\$1 or branch\$1))		
		, , , , , , , , , , , , , , , , , , , ,		L

4	
ı	•
•	_

	10	1 1 1 5 2 0 7 5 0 A 11 1 1 1 5 A 5 A 1 1 7 11 1 1 1 5 5 1 5 1 2 1 1 1	TICDAG	12002/00/20
-	18	("5307504" "5454117" "5515518"	USPAT	2003/08/30
	1	"5754878" "5781792" "5784640" "5700924" "5704069" "5922205"		17:26
		"5790824" "5794068" "5832205" "5838862" "5838878" "5803760"		
		"5838962" "5838978" "5903760" "5905855" "5958047" "5958061"		
	1	3905655 3936047 3936061 "6005551" "6031992" "6032247").PN.		
l _	0		USPAT;	2003/08/30
	ı	(\(\) 3307304	US-PGPUB;	17:30
		"5790824" "5794068" "5832205"	EPO; JPO;	17.30
		"5838962" "5838978" "5903760"	DERWENT;	
		"5905855" "5958047" "5958061"	IBM TDB	
		"6005551" "6031992" "6032247").PN.)		
1		and ((far or distant or long or external)		
		adj2 (call\$1 or branch\$1))		
-	151	717/\$ and ((far or distant or long or	USPAT;	2003/08/30
		external) adj2 (call\$1 or branch\$1))	US-PGPUB;	17:30
		•	EPO; JPO;	
			DERWENT;	
		<u> </u>	IBM_TDB	
-	8	((trampoline or prolog\$2) adj2 (code or	USPAT;	2003/08/30
		instruction(1)) and (717/\$ and ((far or	US-PGPUB;	17:30
		distant or long or external) adj2 (EPO; JPO;	
		call\$1 or branch\$1)))	DERWENT;	
	1.0	/#6307604# #6464117# #6616610#	IBM_TDB	2002/02/20
-	18	("5307504" "5454117" "5515518"	USPAT	2003/08/30
		"5754878" "5781792" "5784640" "5790824" "5794068" "5832205"		17:33
		3790824		
	1	"5905855" "5958047" "5958061"		
	1	3905655 3936047 3936061 "6005551" "6031992" "6032247").PN.		
-	О	(("5307504" "5454117" "5515518"	USPAT;	2003/08/30
	1	(\(\) 3307304	US-PGPUB;	18:16
		"5790824" "5794068" "5832205"	EPO; JPO;	
		"5838962" "5838978" "5903760"	DERWENT;	
		"5905855" "5958047" "5958061"	IBM TDB	
		"6005551" "6031992" "6032247").PN.)		
		and ((trampoline or prolog\$2) adj2 (code		
		or instruction\$1))		
-	24	(@ad<=19991008 and @rlad<=19991008) and	USPAT;	2003/08/30
		((trampoline or prolog\$2) adj2 (code or	US-PGPUB;	18:00
		instruction\$1))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	323	((reduc\$4 or transform\$4 or convert\$4 or	USPAT;	2003/08/30
		translat\$4 or substitut\$4) adj4 ((US-PGPUB;	17:36
		external or distant or far or long) adj2	EPO; JPO;	
		(call\$1 or branch\$2)))	DERWENT;	
1_	6	(((reduc\$4 or transform\$4 or convert\$4 or	IBM_TDB USPAT;	2003/08/30
		translat\$4 or substitut\$4) adj4 ((US-PGPUB;	17:57
		external or distant or far or long) adj2	EPO; JPO;	1,.31
]	(call\$1 or branch\$2)))) and (717/\$ and	DERWENT;	
		((far or distant or long or external)	IBM TDB	
		adj2 (call\$1 or branch\$1)))		
-	3	5797014.URPN.	USPAT	2003/08/30
	<u> </u>			17:37
-	3	("5369766" "5446899" "5475840").PN.	USPAT	2003/08/30
				17:39
-	2	(((reduc\$4 or transform\$4 or convert\$4 or	USPAT;	2003/08/30
		translat\$4 or substitut\$4) adj4 ((US-PGPUB;	17:46
		external or distant or far or long) adj2	EPO; JPO;	
		(call\$1 or branch\$2)))) and	DERWENT;	
		((trampoline or prolog\$2) adj2 (code or	IBM_TDB	
		instruction\$1))		
-	1	(@ad<=19991008 and @rlad<=19991008) and	USPAT;	2003/08/30
		((replac\$4 or substitut\$4 or convert\$4 or	US-PGPUB;	18:00
		chang\$3) near4 (((external or long or	EPO; JPO;	
		far) and (internal or short or "near"))	DERWENT;	
L	L	near2 (method or call\$1 or invoca\$4)))	IBM_TDB	

- 13 (replac\$4 or substitut\$4 or convert\$4 or Chang\$3) near4 (((external or long or far) and (internal or short or "near")) near2 (method or call\$1 or invoca\$4) DERWENT; IBM_TDB - 499 (replac\$4 or substitut\$4 or convert\$4 or Chang\$3) near4 ((external or long or US-PGPUB;	2003/08/30 18:02 2003/08/30
far) and (internal or short or "near"))	2003/08/30
near2 (method or call\$1 or invoca\$4)) DERWENT; IBM_TDB USPAT; chang\$3) near4 ((external or long or US-PGPUB;	
- 499 (replac\$4 or substitut\$4 or convert\$4 or USPAT; chang\$3) near4 ((external or long or US-PGPUB;	
- 499 (replac\$4 or substitut\$4 or convert\$4 or USPAT; chang\$3) near4 ((external or long or US-PGPUB;	
chang\$3) near4 ((external or long or US-PGPUB;	
	18:03
far) near2 (method or call\$1 or EPO; JPO;	
invoca\$4)) DERWENT;	
IBM TDB	
- 6 ((replac\$4 or substitut\$4 or convert\$4 or USPAT;	2003/08/30
chang\$3) near4 ((external or long or US-PGPUB;	18:04
far) near2 (method or call\$1 or EPO; JPO;	
invoca\$4))) and (((@ad<=19991008 and DERWENT;	
@rlad<=19991008) and (branch adj4 (call\$1 IBM_TDB	
or instruction\$1)).ab.) or ((((short	
or "near") adj2 branch\$3) near5 ((long	
or far) adj2 branch\$3)) and link\$4) or	
(linker and ((trampoline or prolog\$2)	
adj3 (code or instructions))) or ((((•
external or distant or far or long) adj2	
(call\$1 or branch\$2)) near8 ((local or	
short or "near" or internal) adj3 (
call\$1 or branch\$2))) and (optimi\$4 or	
compiler)) or ((trampoline or prolog\$2)	
adj2 (code or instruction\$1)) or	
(((reduc\$4 or transform\$4 or convert\$4 or	
translat\$4 or substitut\$4) adj4 ((
external or distant or far or long) adj2 (call\$1 or branch\$2)))) and (
compil\$4 or linker)	
- 9 5032981.URPN. USPAT	2003/08/30
05PA1	18:07
- 6 ((resolv\$4 or translat\$4 or convert\$4 or USPAT;	2003/08/30
replac\$4) adj3 ((long or indirect) adj2 US-PGPUB;	18:56
(call\$1 or branch\$1)) near6 ((short or EPO; JPO;	10.00
"near" or direct) adj2 (call\$1 or DERWENT;	
branch\$1)) IBM TDB	